

PATAGONIA

520M-015

S3 HRO SRC



SIZE EU 39-47 UK 6-12

GALZATA 11 MONDOPOINT

WIDTH 11 MONDOPOINT

POMAIA

Pelle pieno fiore Idrotech®
Rinforzi in punta e tallone con
inserti TPU

FODERA

Cambrelle®

SUOLA

Compound® PU/Gomma Vibram®

PUNTALE

Acciaio 200 Joule

ANTIPERFORAZIONE

Lamina Acciaio Inox

STANDARD

EN ISO 20345:2007

UPPER

Idrotech® full grain leather
Heel kick off plate and toe scuff cap
for product longevity

LINING

Cambrelle®

SOLE

Compound® PU/Rubber Vibram®

TOECAP

Steel 200 Joule

ANTI-PUNCTURE

Stainless steel midsole

STANDARD

EN ISO 20345:2007

SELVANS BLACK

544M-006

S3 HRO SRC



SIZE EU 39-47 UK 6-12

CALZATA 11 MONDOPOINT

WIDTH 11 MONDOPOINT

TOMAIA

Pelle pieno fiore Idrotech®
Rinforzi in punta e tallone
con inserti TPU

FODERA

Cambrelle®

SUOLA

Compound® PU/Gomma Vibram®

PUNTALE

Acciaio 200 Joule

ANTIPERFORAZIONE

Lamina Acciaio Inox

STANDARD

EN ISO 20345:2007

UPPER

Idrotech® full grain leather
Heel kick off plate and toe scuff cap
for product longevity

LINING

Cambrelle®

SOLE

Compound® PU/Rubber Vibram®

TOECAP

Steel 200 Joule

ANTI-PUNCTURE

Stainless steel midsole

STANDARD

EN ISO 20345:2007

AMAZON
649M-001
S3 HRO SRC



SIZE EU 39-47 UK 6-12

CALZATA 11 MONDOPOINT

WIDTH 11 MONDOPOINT

TOMAIA	Pelle fiore Nabuk idrorepellente Rinforzi in punta e tallone con inserti TPU	UPPER	Water-repellent Nubuk leather Heel kick off plate and toe scuff cap for product longevity
FODERA	Cambrelle®	LINING	Cambrelle®
SUOLA	Compound® PU/Gomma Vibram®	SOLE	Compound® PU/Rubber Vibram®
PUNTALE	Acciaio 200 Joule	TOECAP	Steel 200 Joule
ANTIPERFORAZIONE STANDARD	Lamina Acciaio Inox EN ISO 20345:2007	ANTI-PUNCTURE STANDARD	Stainless steel midsole EN ISO 20345:2007

WELDER
679M-001
S3 HRO SRC



SIZE EU 39-47 UK 6-12

CALZATA 11 MONDOPOINT

WIDTH 11 MONDOPOINT

TOMAIA	Pelle idrorepellente	UPPER	Water-repellent leather
FODERA	Cambrelle®	LINING	Cambrelle®
SUOLA	Compound® PU/Gomma Vibram®	SOLE	Compound® PU/Rubber Vibram®
PUNTALE	Acciaio 200 Joule	TOECAP	Steel 200 Joule
ANTIPERFORAZIONE	Lamina Acciaio Inox	ANTI-PUNCTURE	Stainless steel midsole
STANDARD	EN ISO 20345:2007	STANDARD	EN ISO 20345:2007

BLADE
592M-012
S3 HRO SRC





















SIZE EU 39-47 UK 6-12

CALZATA 11 MONDOPOINT

WIDTH 11 MONDOPOINT

TOMAIA	Pelle fiore Nabuk Idrarepellente	UPPER	Water-repellent Nubuk leather
FODERA	Cambrelle®	LINING	Cambrelle®
SUOLA	Compound® PU/Gomma Vibram®	SOLE	Compound® PU/Rubber Vibram®
PUNTALE	Acciaio 200 Joule	TOECAP	Steel 200 Joule
ANTIPERFORAZIONE	Lamina Acciaio Inox	ANTI-PUNCTURE	Stainless steel midsole
STANDARD	EN ISO 20345:2007	STANDARD	EN ISO 20345:2007

A		ANTISTATIC	HRO		HEAT-RESISTANT TO 300°C
E		ENERGY ABSORPTION OF SEAT REGION	HI		HEAT INSULATION
P		PUNCTURE RESISTANT	CI		COLD INSULATION
		RESISTANT TO 200 JOULES	ESD		ELECTRO STATIC DISSIPATIVE
		OIL RESISTANT	KTCMZERO®		PUNCTURE RESISTANT TEXTILE MIDSOLE
		CHEMICAL RESISTANT	SRC		SLIP RESISTANT
WRU		WATER RESISTANT UPPER	KOMPO 200		NON - METALLIC TOE CAP
WR		WATER RESISTANT	ALU 200		ALLUMINIUM TOE CAP
FO		FUEL OIL RESISTANT SOLE	ST		STEEL TOE CAP

FOOTWEAR SIZE CONVERSION CHART

European	37	38	39	40	41	42	43	44	45	46	47
UK	4	5	6	6,5	7	8	9	10	10,5	11	12