



SF-14

Intrinsically Safe Flashlight
For Use In Hazardous or
Mining (Atex approved) Locations



Specs	Low	High
Battery Size	4*AA	
Light Source	Cree XP-G LED	
Mode	High / Low / Off	
Light Output	100lm	200lm
Beam Distance	90M	130M
Run Time	18hrs	7hrs 30mins
IP Rating	IP54	
Weight	250g	
Dimension	183*69*63mm	

Certifications & Standards

- CSA	CLASS I DIV 1 GRP ABCD CLASS II DIV 1 GRP EFG CLASS III TEMP CODE: T4
- ATEX	GAS: Ⓜ II 1G Ex ia IIC T4 Ga MINING: Ⓜ I M1 Ex ia I Ma
- IECEx	GAS: Ex ia IIC T4 Ga MINING: Ex ia Ma

Product Features

- MINING FLASHLIGHT (ATEX /IECEx APPROVED)
- SAFETY PROOF DESIGNED FOR FIRE FIGHTING & HAZARDOUS ENVIRONMENTS
- AIR FREE HEAT SINK DESIGN TO ENHANCE LED HEAT DISSIPATION
- WITH STAINLESS BELT/POCKET CLIP
- VALVE DESIGN TO HELP HYDROGEN GAS RELEASED
- BATTERY CARRIAGE DESIGN (FOOLPROOF EVEN UNDER BATTERY MISPLACED)
- FLAMEPROOF ACCESSORIES AVAILABLE

Technology

